3M[™] Copper Foil Shielding Tape 1125 with Non-Conductive Acrylic Adhesive

Data Sheet

Product Description	3M™ Copper Foil Shielding Tape 1125 is a 2.64-mil (0.067 mm) thick tape composed of a 1.4-mil (0.036 mm) flat copper foil backing coated on one side with a non-corrosive, non-conductive acrylic pressure-sensitive adhesive supplied on a removeable liner.
	 Commonly used for EMI/RFI shielding applications in the electronics industry and for static charge draining, seaming shielded rooms, cable wrapping and surface contact to non-solderable materials
	 Can be die-cut, is solderable and offers a multitude of uses in electrical design and test laboratories for prototyping, design and troubleshooting
	 Adhesive requires no moisture, solvents, heat or other manner of preparation to affect application
	Flame Retardant per UL-510A Standard

June 2021

Properties

Physical Properties		Value Imperial (Metric)		Electrical Properties	Value Imperial (Metric)
Color - Visual		Copper		Shielding Effectiveness ³ - Average 300 kHz – 2.5 GHz	65 dB
Adhesive		Non-Conductive Acrylic			•
Backing		Copper Foil - Flat			
Flame Retardant ²		Pass			
Mechanical Properties		Value Imperial (Metric)			
Backing Thickness - Nomi	nal	1.4 mil (0.036 mm)			
Total Thickness ¹		2.64 +/- 0.23 mils (0.067 +/- 0.006 mm)			
Adhesion to Steel ¹ - Minimum		30 oz/in (3.3 N/cm)			
Breaking Strength ¹ - Minin	num	22 lb/in (39 N/cm)			
otes: 1. ASTM D1000 Test M 2. UL Recognized Flam 3. ASTM D4935 Test M Shielding	e Retarda Aethod - p Many	nt per UL510A Standard, Categor roperties measured at room temp factors determine the true	y OARC2, erature 73 e shieldi	"F (23°C) unless otherwise stated ng effectiveness of a shielding tape,	•
otes: 1. ASTM D1000 Test M 2. UL Recognized Flam	e Retarda //ethod - p Many thickr	nt per UL510A Standard, Categor roperties measured at room temp factors determine the true	y OARC2, erature 73 e shieldi intimac	File No. E17385 °F (23°C) unless otherwise stated	•
otes: 1. ASTM D1000 Test M 2. UL Recognized Flam 3. ASTM D4935 Test M Shielding	e Retarda Aethod - p Many thickr frequ • UL	nt per UL510A Standard, Categor roperties measured at room temp factors determine the true ness of foil, adhesive type, ency of the EMI signal, etc Component Recognized:	y OARC2, erature 73 e shieldi intimac UL510A	File No. E17385 1°F (23°C) unless otherwise stated ng effectiveness of a shielding tape,	ion surface, o. E17385
otes: 1. ASTM D1000 Test M 2. UL Recognized Flam 3. ASTM D4935 Test M Shielding Effectiveness Agency Approvals &	e Retarda Method - p Many thickı frequ • UL • Fc This p	factors determine the true factors determine the true ness of foil, adhesive type, ency of the EMI signal, etc . Component Recognized: r Regulatory information in product has a 5-year shelf	y OARC2, erature 73 e shieldi intimac UL510A ncluding ife (fron	File No. E17385 PF (23°C) unless otherwise stated ng effectiveness of a shielding tape, y of contact, smoothness of applicat A Standard, Category OARC2, File N	ion surface, o. E17385 <u>M.com/regs</u>
otes: 1. ASTM D1000 Test M 2. UL Recognized Flam 3. ASTM D4935 Test M Shielding Effectiveness Agency Approvals & Self Certifications	e Retarda Method - p Many thicki frequ • UL • Fc This p contr	nt per UL510A Standard, Categor roperties measured at room temp factors determine the true ness of foil, adhesive type, ency of the EMI signal, etc . Component Recognized: r Regulatory information in product has a 5-year shelf l polled storage (50°F/10°C t	y OARC2, erature 73 e shieldi intimac UL510A ncluding ife (fron to 80°F/	File No. E17385 PF (23°C) unless otherwise stated ng effectiveness of a shielding tape, y of contact, smoothness of applicat A Standard, Category OARC2, File N N ROHS, REACH, please visit <u>www.31</u> n date of manufacture) when stored	ion surface, o. E17385 <u>M.com/regs</u> in humidity-

3M[™] Copper Foil Shielding Tape 1125 with Non-Conductive Acrylic Adhesive

TECHNICAL STATEMENT

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (*e.g.*, OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. Warranty claims must be made within one (1) year from the date of 3M's shipment.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

Disclaimer: 3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for sale to or use by consumers (e.g., for home, personal, primary or secondary school, recreational/sporting, or other uses not described in the applicable product packaging or literature), and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., U.S. OSHA, ANSI), as well as all product literature, user instructions, warnings, and limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, or death. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit <u>www.3M.com</u>

3M is a trademarks of 3M Company.



Electrical Markets Division 13011 McCallen Pass, Bldg. C Austin, TX 78753 Phone: 800.676.8381 www.3M.com/oem

Please Recycle. Printed in USA. © 3M 2021. All Rights Reserved. 78-8125-9945-0 Rev C